

Denodo Maintenance and Support Service Guide

Denodo is committed to helping you succeed with the Denodo Platform through our comprehensive network of technical support and services. This Guide provides an overview of the features and benefits of Maintenance and Customer Support, and clearly outlines how to reach us wherever you are, whenever you need us.

Denodo Maintenance and Support
Date of Publication: 24-November-2017

Copyright© 2017
Denodo Technologies Proprietary and Confidential
denodo.com

Contents

1. Introduction	3
2. Denodo Support Levels	4
2.1 Severity Levels	5
2.2 Business Support Hours	6
2.3 Support ACK	6
2.4 General Information Needed to Open a Case	6
2.5 Priority Levels	7
2.6 Understanding Denodo's Service Request Status Codes	7
3. Denodo Platform Software Maintenance	9
3.1 Support Site	9
3.2 Software Updates	9
3.3 Supported Platform Releases	9
3.4 Support Terms	10
4. Glossary	11

1. Introduction

Denodo is committed to helping you succeed with the Denodo Platform through our comprehensive network of technical support and services. This Guide provides an overview of the features and benefits of Denodo Maintenance and Customer Support, and clearly outlines how to reach us wherever you are, whenever you need us.

Customers may contact the Denodo Support Center to open a new Service Request (SR) or to follow up on an existing SR by email, via Web, or telephone.



2. Denodo Support Levels

This chapter describes the Denodo License Maintenance and Support Service Level Agreements.

There are three Denodo Support Levels:

BASIC SUPPORT	STANDARD SUPPORT	PREMIUM SUPPORT
Designed for evaluation licenses and developers teams from customers or partners, focused on improving developer productivity and reducing project risks.	Designed for subscription or perpetual licenses in production environments.	Standard support benefits plus 24x7 global coverage, faster response, and extended version support.

DENODO SUPPORT SERVICE OFFERING

	Basic	Standard	Premium
Service Request (SR) registry			
Telephone channel	Not available	Local Support Center telephone in local Support Center business hours coverage	24x7 local and international Support Center telephones for Severity 1 Service Requests (SR)
Email channel	Not available	support@denodo.com	support@denodo.com
Web channel	http://support.denodo.com	http://support.denodo.com	http://support.denodo.com
Customer contacts	Up to 1 contact	Up to 4 contacts	Up to 8 contacts
My Team	Not included	Included	Included
Software updates			
Updates	Included	Included	Included
Beta updates	Not included	Included	Included
DenodoConnects	Included	Included	Included
Notification	Included	Included	Included
Notification channel	Support Site	Email Support Site	Email Support Site
Availability	Support Site	Support Site	Support Site
Emergency bug fix	Not included	Included	Included

	Basic	Standard	Premium
Active Maintenance	Included	Included	Included
Passive Maintenance	Not included	Not included	Included
Upgrade to new version	Not included	Included	Included
SR working coverage	Local business hours	Local business hours	24x7 local and international Support Centers for Severity 1 SRs. "Follow the sun" among local Support Centers during local business hours for Severity 2 SRs. Local business hours for Severity 3 and 4 SRs.
Response times			
Severity 1	Not included	<= 4 business hours	<= 2 hours
Severity 2	<= 2 business days	<= 1 business day	<= 4 business hours
Severity 3	<= 2 business days	<= 2 business days	<= 8 business hours
Severity 4	<= 2 business days	<= 2 business days	<= 8 business hours
Support Account Manager	Not included	Not included	Included
Designated Support Specialist Team	Not included	Not included	Included

For information about Denodo Platform for AWS Support, please [visit this page](#).

2.1 Severity Levels

When a customer opens a new Service Request (SR), he/she will be asked for the severity level. There are four severity levels:

Severity 1, Emergency. This is a production problem which impacts the production systems so production systems are down or not functioning and no workaround exists.

Severity 2, High. This is a problem where the production systems are functioning but in a severely reduced capacity. The system is exposed to potential loss or interruption of service and no workaround exists.

Severity 3, Medium. This is a problem which involves partial non-critical functionality loss and allows continuing to function.

Severity 4, Low. This is for questions, document and functional clarification, or recommendations for a future product enhancement or modification.

Denodo Support will evaluate the SR together with the customer, after evaluating, the Support Team may determine to change the severity of the case based on the the impact that the problem has on the use of the Software.

2.2 Business Support Hours

Customers may contact the local Denodo Support Center to open a new Service Request (SR) or to follow up on an existing SR by telephone, email, or via web.

SRs can be submitted online 24x7 through the Denodo Support Site (<http://support.denodo.com>) or during local business hours through support@denodo.com.

Telephone support is available per region or country (where available). Customers can access their local Support Center phone number after logging into the Support Site. Customers will be required to provide a Denodo License Code for validation of their support service. For submitting SRs by phone, time scheduling is available in the Support Site.

2.3 Support ACK

After an SR is received via any channel, it is acknowledged (ACK) with an email message which includes the unique SR code to the authorized customer contact.

2.4 General Information Needed to Open a Case

Severity
Priority
Denodo Platform License Code
Denodo Platform Version
Denodo Platform Installed Updates
Operating System and patch level (Windows 10, Windows 8.1, Ubuntu 12.04, Centos 6,...)
Hardware Platform (Intel/AMD, HP/Alpha, Macintosh, Sun/Sparc)
Java Virtual Machine vendor and version
Locale (language) used in Operating System and browser
Detailed Error Description
Has this happened before? Can it be reproduced?
When did this happen?
Compressed file with the Denodo Platform file logs from the directory %DENODO_HOME%\logs
Compressed file with the Denodo Platform data files from the directory %DENODO_HOME%\metadata.
List of changes made in Denodo Platform default configuration

2.5 Priority Levels

When a customer opens a new Service Request (SR), he/she will be asked for the priority level. There are three priority levels:

Priority 1, High. This issue is business critical and requires the earliest attention. The repair of this issue should commence immediately before other Customer issues.

Priority 2, Medium. This issue results in a moderate impact on business operations. It should be resolved in the normal course of support activities.

Priority 3, Low. This issue has no impact on business operations. The repair can be deferred until more serious issues have been resolved.

2.6 Understanding Denodo's Service Request Status Codes

Denodo uses several status codes to indicate the current status of the SRs logged in the Denodo Support Site. These status codes are not static and it is recommended to check them to keep the process moving and get an answer more quickly.

The most common status codes are:

New: The SR is submitted, is waiting for an initial action and is not yet assigned to a Support Specialist.

Assigned - In Progress: The case has been assigned to a Support Specialist and investigation into the issue is beginning.

Waiting for Customer Action: The Support Specialist is awaiting an action by the customer contact in order to proceed with the next step in resolving his/her case. This usually means the Support Staff needs the customer to collect additional information or try something or has more questions for him/her.

Software Update - In Progress: A product defect, or bug, has been submitted as a result of this case and the Support Specialist has provided the customer with a workaround.

Solution Offered: A solution has been provided for the case. However, the Support Specialist is awaiting final confirmation of the solution from the customer before fully closing the case.

Closed. A solution has been provided for the case and the case has been closed.

Close - Initiated: The Support Specialist did not receive the requested information or action from the customer. The Support Specialist will attempt to contact the customer three times over a one-month period.

Closed - No Response from Customer: The Support Specialist researched the case and requested additional details from the customer. Customer contact cannot be reached; no response after repeated attempts.

Closed - Dismissed: The SR has been marked as an invalid case by a Support Specialist. The reason for the invalid status will be referenced in the response mail.

Please, helps Denodo help you by monitoring your SRs because we want you to get your answers as quickly as possible.


3. Denodo Platform Software Maintenance

This chapter describes the Denodo Platform Software Maintenance Service included in the Maintenance and Support Services contract.

3.1 Support Site

Denodo Support Site is available at <http://support.denodo.com>.

The aim of the Support Site is to provide customers with a web portal for downloading the Denodo Platform Software, licenses, documentation and updates, as well as allowing the registration of SRs.



3.2 Software Updates

Denodo publishes software updates on a constant basis as part of the Software Maintenance License.

Users are notified of these software updates via the Support Site where they are available for downloading with just a click.

Denodo currently averages a major release every 1.5 to 2 years and averages 4 to 6 software updates in between two major releases. Customers current on standard or premium support are eligible to receive all software update in order to obtain license upgrades for a new release, the Customer has to go to the Denodo Support Site and complete the upgrade request form.

3.3 Supported Platform Releases

Denodo Platform Maintenance and Support Services provides active maintenance and support on two software releases: the latest software release and the previous software release (major). Premium Support customers also receive extended passive maintenance and support on earlier releases.

Denodo Platform	Active Maintenance		Passive Maintenance	
	START DATE	END DATE	START DATE	END DATE
Denodo Platform 6.0	Mar 2016	Dec 2019	Jan 2020	Dec 2020
Denodo Platform 5.5	Aug 2014	Mar 2018	Apr 2018	Mar 2019
Denodo Platform 5.0	Feb 2013	Dec 2016	Jan 2017	Dec 2017
Denodo Platform 4.7	Aug 2011	Dec 2014	Jan 2015	Jun 2016
Denodo Platform 4.6	Aug 2010	Jan 2013	Feb 2013	Dec 2014

These dates are provisional, based on the plan to release a major version of the Denodo Platform approximately every 18 months.

Denodo will not generate software updates for older software releases than those referenced above.

3.4 Support Terms

Support Fees

Support fees are due and payable annually in advance of a support period, unless otherwise stated in the relevant ordering document. Your commitment to pay is required to process your support order with Denodo. An invoice will be issued only upon receipt of your commitment to pay, and will be sent to a single billing address that you designate. Failure to submit payment will result in the termination of support.

Support Period

Support is effective upon the effective date of your ordering document unless stated otherwise in your relevant ordering document. Unless otherwise stated in the ordering document, Denodo support terms, including pricing, reflect a 12 month support period (the “support period”). All support services ordered for a support period and the related fees are non-cancelable and non-refundable. Denodo is not obligated to provide support beyond the end of the support period.

Technical Contacts

Technical Contacts are the sole liaisons between the Customer and Denodo for Technical Support. There are two different types:

- Primary Technical Contacts are responsible for (i) overseeing the customer service request activity, and (ii) developing and deploying troubleshooting processes within the customer organization.
- The Backup Technical Contacts are responsible for resolving user issues.

Matching Service Levels

When acquiring support, all licenses must be supported under the same Denodo support service level.

4. Glossary

ACK Acknowledgement.

Active Maintenance Product development staff is continually delivering updates which add fixes and enhancements for a specific version.

After Hours All the non business hours, including holidays.

Beta Update Means an advance version of an update. It is only intended for testing purposes and must not be used in production environments.

Business Hours Normal hours of operation for the Support Service in the customer's local zone, excluding local holidays.

Case Record created in submitting technical questions or issues.

Defect The supported software is not functioning according to the documentation.

DenodoConnects They are collection of components that expand the possibilities of the Denodo Platform.

Fix A permanent solution to a SR that is included in a software update.

Hotfix Hotfixes are temporary solutions to address a specific customer Support Request and must not be distributed outside the customer organization.

License Code Unique identifier for the software license key.

Major Release New version of the software that may not retain backwards compatibility in some features.

Minor Release See Software Update.

Passive Maintenance Product development staff will only release updates on-demand.

Priority Measure of the importance to solve a Defect irrespective of the impact that the Defect has on the use of the Software, as determined by the Customer.

Resolution A resolution in the case of a software defect could be a future software update. If the SR does not involve an error, a resolution is a solution in which the customer agrees the SR has been resolved.

Service Request Status Code Indicates the current status of the Service Request logged in the Denodo Support Site.

Severity Measure of the relative impact a Defect has on the use of the Software, as determined by the Customer and Denodo.

Software Update (or minor release) New version of the software enhancing the functionality, it is backwards compatible within the major release. It can contain functional enhancements, extensions and error corrections or fixes.

SR Service Request.

Support Account Manager A designated Denodo technical contact who works collaboratively with your team and has knowledge of your technical environment. SAM will help you get the most out of Denodo Support and will engage the best resources to resolve any issue you may have.

Update Means a release or version of the software containing functional enhancements, extensions, error corrections or fixes.

Workaround A solution to a SR that may be replaced with a permanent solution included in a software update.



Denodo North America & APAC

525 University Avenue,
Suite 31
Palo Alto, CA 94301
USA
Phone (+1) 650 566 8833
Fax (+1) 650 566 8836
Email info.us@denodo.com & info.apac@denodo.com

1700 Broadway, 28th floor
New York, NY 10019
USA
Phone (+1) 646 952 0202
Fax (+1) 646 952 0205
Email info.us@denodo.com & info.apac@denodo.com

302 W Bannock Street, Suite 305A
Boise, ID 83702
USA
Phone (+1) 208-331-7777
Email info.us@denodo.com & info.apac@denodo.com

180 N Stetson, Suite 3500
Chicago, IL 60601
USA
Phone (+1) 312-423-3707
Email info.us@denodo.com & info.apac@denodo.com

Prestige Palladium Bayan
129-140, Greams Road,
Thousand Lights West
Chennai, Tamil Nadu 600006
INDIA
Phone (+91) 44 4654 9360
Email info.apac@denodo.com

Marina Bay Financial Centre Tower 3
12 Marina Boulevard #17-01
Singapore 018982
SINGAPORE
Phone (+65) 6809 5109
Fax (+65) 6809 5001
Email info.apac@denodo.com

Denodo EMEA

21st Floor, Portland House
Bressenden Place
London, SW1E 5RS
UK
Phone (+44) (0) 20 3196 4710
Fax (+44) (0) 20 7869 8001
Email info.emea@denodo.com

Denodo DACH

Karlstraße 10
Munich, 80539
GERMANY
Phone (+49) (0) 89 203 006 441
Fax (+34) 912 77 58 60
Email info.emea@denodo.com

Denodo France

124 Rue Réaumur
75002 Paris
FRANCE
Phone (+33) (0) 1 42 68 51 27
Email info.emea@denodo.com

Denodo Iberia & Latin America

C/ Montalbán, 5
28014 Madrid
SPAIN
Phone (+34) 912 77 58 55
Fax (+34) 912 77 58 60
Email info.iberia@denodo.com &
info.la@denodo.com

Polígono de Pocomaco - Avenida 5,
Número 22
15190 - A Coruña
SPAIN
Phone (+34) 981 10 02 00
Fax (+34) 981 10 02 05
Email info.iberia@denodo.com &
info.la@denodo.com

NOTE: This document is confidential and proprietary of Denodo. No part of this document may be reproduced in any form by any means without prior written authorization of Denodo.